

TECHNISCHES DATENBLATT

TCO – Finixa Teflon[®] Carbotec overall

TCC – Finixa Teflon[®] Carbotec spray coat

Produkt:

Finixa Teflon[®] Carbotec overall
Finixa Teflon[®] Carbotec spray coat

Code:

TCO 07-08-09-10-11-12
TCC 07-08-09-10-11-12

Stoff:

98% Polyester, 2% Carbon, Dupont
Teflon coated

Farbe:

Hellgrau / Dunkelgrau

Kennzeichnung:



Schutzklasse:

PSA CAT I

Nackenlabel:

Größe, Waschinweise

Eigenschaften:

Permanent antistatic, silikonfrei
Schmutz- und wasserabweisend
Fusselfrei

Verpackung

Single im Polybeutel, 25 Stk. Pro Karton

Anwendungsbereiche




ESD protection coverall für Industrieanwendungen, Vorbereitungszonen.

Großen (TCO) :

Size	A: Chest width - 1/2	B: leg length	C: center back to cuffs	D: shoulder to crotch	E: zipper length	F: body length	G	H	I	J
2XS										
XS										
S	62	74	84	93	72	163	20,5	38,5	28,5	21,5
M	64	76	88	94	72	166	21	39	29	22
L	67	79	91	95	72	171	21,5	40,5	29,5	22
XL	70	81	94	96	72	174	22,5	41,5	30	22,5
2XL	72	84	98	97	72	178	23,5	42,5	30,5	23
3XL	75	87	101	102	72	184	24,5	43,5	32	24
4XL	78	89	104	105	72	189	25,5	45	33	25

Großen (TCC)

Size	A: Chest width - 1/2	B: leg length	C: center back to cuffs	D: shoulder to crotch	E: zipper length	F: body length	G	H	I	J
2XS										
XS										
S	62	73	84	92	72	163	20,5	38,5	28,5	21,5
M	64	75	88	93	72	166	21	39	29	22
L	67	78	91	94	72	171	21,5	40,5	29,5	22
XL	70	80	95	95	72	174	22,5	41,5	30	22,5
2XL	72	83	98	96	72	177	23,5	42,5	30,5	23
3XL	75	86	101	100	72	183	24,5	43,5	32	24
4XL	78	88	104	102	72	188	25,5	45	33	25



Ausstattungsmerkmale:

Permanent antistatic
 Dupont Teflon Beschichtung, dadurch Schmutz-und wasserabweisend
 Rückenroller sowie Netzeinsatz unter den Achseln für optimale Atmungsaktivität
 2 Seitentaschen, 2 Brusttaschen, 1 Gesäßtasche
 Gummibünde an Handgelenk, Fußgelenk
 Reißverschluss am Fußgelenk
 2-Wege Reißverschluss mit verdeckter Leiste.
 Kapuze mit Kordelzug
 Plastikdruckknöpfe an Seiten- und Brusttaschen sowie Kragen

Waschanleitung

Waschbar bis 30°C oder durch chemische Reinigung

The above information is given in good faith, but the user should assure himself that the performance of the product is sufficient for his application. The quoted values are average and should not be taken as maximum or minimum values for specific purposes. Chemicar Europe cannot be held responsible for product failure unless full testing has been carried out.