TECHNICAL DATASHEET

Date of creation	17-09-2026	**Number of pages**	1 / 4

Article number: TSP 190

Description: **TSP 190 - Etch primer grey 400ml**

EAN:



Specially formulated for bare metal surfaces. This primer not only ensures excellent anticorrosion protection but also offers the convenience of being overpaintable without the need for sanding, allowing for a seamless application of any 1K or 2K primer/filler. Trust our Etch Primer to provide a strong foundation for your metal projects, ensuring both durability and ease of use.

Key features

- Etching primer for bare metal surfaces. Provides excellent anticorrosion protection.
- Overpaintable without sanding with any 1K or 2K primer/filler.

Date of creation	17-09-2026	**Number of pages**	2 / 4

Product details

- Brand: Finixa
- Number: TSP 190
- Colour: grey
- Weight (kg): 0,4
- Dry storage: yes
- Maximum storing temperature: 25
- Storing condition: dark
- Freezing resistant: yes
- Units for outer box: 12
- Units for pallet: 672
- 1K product: yes
- 2K product: no
- Anti-corrosion: yes
- Base ingredient(s): titanium dioxide carbon black, zinc phosphate
- Coverage: 3 m^2/L
- Dry layer film thickness: 30 µm
- Gloss level: 30 %
- Lead-free: yes
- Particle size: 40 µm
- Pressure: 3.5 bar

Application

TSP 190 application - Directions for use:

1. Surface Prep: Thoroughly clean the surface to remove grease, oil, and dirt. Sanding is recommended for best adhesion.
2. Shake Well: Shake the can vigorously for at least 2 minutes after the mixing ball starts rattling.
3. Test Application: Apply a small amount to an inconspicuous area to test for compatibility.
4. Application: Hold the can 20 – 30cm (8-12 inches) from the surface and apply a thin, uniform layer.
5. Drying: Allow a minimum of 10 minutes for the primer to become touch dry.
6. Overcoat: Apply primer within 1 hour for best results.
7. Nozzle Maintenance: Clear the nozzle by inverting the can and spraying for a few seconds.

TECHNICAL DATASHEET

Date of creation	17-09-2026	**Number of pages**	4 / 4

Related Products



TSP 410

TSP 410 - Zinc spray 400ml



TSP 530

TSP 530 - Weld-thru primer copper 400ml

Disclaimer
It is the user's responsibility to read, understand, and apply the information contained in this technical data sheet. The products are for professional use only. The necessary protective equipmentand clothing must be worn. Repairs must always be carried out in accordance with the guidelines and regulations of the original equipment manufacturers. Allinformation must be considered, researched, and verified by the user. The specific use, application, and conditions of use are beyond the control of EMM InternationalBV. It is the user's responsibility to determine the suitability of the product for their specific application

Bohemenstraat 19, 8028SB Zwolle, The Netherlands +31(0)38 467 66 00 E

EMM International BV E sales@emm.com **www.finixa.com**